

# ***TES Plants -- 1999 Regional List Changes***

***Total: 212***

***Endangered: 0***

***Threatened: 4***

***Proposed: 0***

***Petitioned: 0***

***Sensitive: 212 (net change of +36 from 1994 list)***

---

***IDAHO: 79 sensitive plant species (net increase of +8)***

***Drop: (-19)***

***Sensitive:***

***Adiantum pedatum var. novum***

***Agrostis oregonensis***

***Allium validum***

***Arnica alpina var. tomentosa***

***Carex californica***

***Leptodactylon pungens ssp. hazelae***

***Lycopodium sitchense***

***Mertensia bella (still sensitive in MT)***

***Mimulus clivicola***

***Phacelia lyallii***

***Ribes wolfii***

***Romanzoffia sitchensis***

***Rubus bartonianus***

***Rubus pubescens***

***Rubus spectabilis***

***Sanicula marilandica***

***Sedum lanceolatum var. rupicolum***

***Tellima grandiflora***

***Trientalis latifolia***

## ***Add: (+27)***

### *Sensitive:*

*Andromeda polifolia*

*Aster junciformis*

*Astragalus microcystis*

*Botrychium paradoxum* (currently sensitive in MT)

*Botrychium pedunculatum* (also added as sensitive in MT)

*Buxbaumia aphylla*

*Buxbaumia viridis*

*Carex flava*

*Carex xerantica*

*Cetraria subalpina* (also added as sensitive in MT)

*Cladonia andereggi*

*Collema curtisporum* (also added as sensitive in MT)

*Hookeria lucens*

*Iris versicolor*

*Haplopappus hirtus* var. *sonchifolius*

*Lomatium salmoniflorum*

*Meesia longiseta*

*Mimulus alsinoides*

*Mimulus ampliatus*

*Muhlenbergia racemosa*

*Petasites frigidus* var. *palmatus*

*Petasites sagittatus*

*Rhizomnium nudum*

*Salix candida*

*Sphagnum mendocinum*

*Triantha occidentalis* ssp. *brevistyla*

*Waldsteinia idahoensis* (currently sensitive in MT)

***MONTANA: 114 sensitive plant species (net increase of +28)***

***Drop: (-15)***

*Sensitive:*

*Agoseris lackschewitzii*  
*Allium fibrillum*  
*Asplenium trichomanes (still sensitive in Idaho)*  
*Betula pumila (still sensitive in Idaho)*  
*Botrychium minganense*  
*Castilleja longispica*  
*Chrysothamnus parryi ssp. montanus*  
*Erigeron linearis*  
*Eriophorum viridicarinatum (still sensitive in Idaho)*  
*Kobresia macrocarpa*  
*Lesquerella carinata var. languida*  
*Mentzelia pumila (still sensitive in North Dakota)*  
*Oryzopsis contracta*  
*Saussurea densa*  
*Thlaspi parviflorum*

---

***Add: (+43)***

*Sensitive:*

*Agastache cusickii*  
*Asclepias ovalifolia*  
*Allium parvum*  
*Astragalus scaphoides*  
*Bidens beckii*  
*Botrychium pedunculatum*  
*Brasenia schreberi*  
*Bryoria subdivergens*  
*Carex amplifolia*  
*Carex gravida var. gravida*  
*Carex prairea*  
*Carex rostrata*  
*Carex vaginata*  
*Cetraria subalpina*  
*Cirsium longistylum*  
*Claytonia arenicola*

*Collema curtisporum*  
*Corydalis sempervirens*  
*Diphasiastrum sitchense*  
*Drosera anglica*  
*Eleocharis rostellata*  
*Erigeron lackschewitzii*  
*Eriophorum gracile*  
*Gentianopsis macounii*  
*Grimmia brittoniae*  
*Heteranthera dubia*  
*Heterocodon rariflorum*  
*Kalmia occidentalis*  
*Lathyrus bijugatus*  
*Lesquerella paysonii*  
*Lomatogonium rotatum*  
*Lycopodium dendroideum*  
*Meesia triquetra*  
*Mimulus patulus*  
*Ophioglossum pusillum*  
*Oxytropis campestris var. columbiana*  
*Penstemon payettensis*  
*Petasites frigidus var. nivalis*  
*Potentilla quinquefolia*  
*Psilocarphus brevissimus*  
*Scirpus cespitosus*  
*Scorpidium scorpioides*  
*Utricularia intermedia*

**NORTH DAKOTA/SOUTH DAKOTA: 46**  
***sensitive plant species (no net change)***

***Drop: (-7)***

*Sensitive:*

*Agrimonia gryposepala*  
*Aster sericeus*  
*Botrychium minganense*  
*Populus balsamifera ssp. trichocarpa*  
*Pycnanthemum virginianum*  
*Senecio tridenticulatus*  
*Talinum parviflorum*

---

***Add: (+7)***

*Sensitive:*

*Botrychium multifidum (ND)*  
*Botrychium simplex (ND)*  
*Cryptantha torreyana (ND)*  
*Gentiana affinis (SD)*  
*Lechea stricta (ND)*  
*Mertensia ciliata (SD)*  
*Townsendia hookeri (ND)*